

Content

Function 2

Start hsbUpdater 2

 To use the hsbUpdater, you must have the following 2

 To use the hsbUpdater, you need to do the following 2

 Start the hsbUpdater from your Desktop Icon. 2

Getting started 2

Options button 4

 You will get the ‘Options’ dialog box. 4

View Details button 6

Update Product (hsb Web Site) 7

 Installing the **hsb Web Site** Version 7

Select Product - Version 8

Update Button 9

hsbUpdater is installing 10

hsbUpdater has completed 11

Wrong password (Options button) 13

 How to change your password 14

Proxy Setting (Options button) 15

Fingerprint information (Options button) 19

Local Server (Internet connection) 19

 Installing the **Local Server** Version 20

 How to set “Administrator” 20

Upload to a specific location (Local Server) 23

Uploading files (Local Server) 24

 Files are downloading 25

Local Server (no Internet connection) 26

 Start the hsbUpdater from your Desktop Icon. 26

Function

This document will show you how to use the hsbUpdater.

Start hsbUpdater


Once you have installed the hsbSetup the hsbUpdater will be installed along with it and an Icon will be placed on your desktop.

To use the hsbUpdater, you must have the following

- You must have a registered seat of hsbcad.
- You must also have all your maintenance fully paid up.

To use the hsbUpdater, you need to do the following

- Make sure AutoCAD is closed.
- Make sure Excel is closed.




Start the hsbUpdater from your Desktop Icon.




Getting started

Once you have selected the the hsbUpdater icon it will gather information. This will take some time to gather information about your hsb products.




- The Updater will download and install the latest version of the hsbUpdater.
- It will download and install files needed to do this.
- The downloaded files will turn green and the installed files will turn bleu.
- You can see the status of this process in the '**Status**' column.
- The hsbUpdater version can be seen in the Top left hand corner of this dialog box.



After the hsbUpdater has updated you will then get the **'release notes'** dialog box. This is information about the latest changes done to the hsbUpdater.

- Select **'OK'** to go on with the update.




Options button

Before starting the update you need to fill in your '**Password**'. (Supplied with the authorization email).

To do so you need to:

Select the '**Options**' button in this dialog box.



Update products from: hsb Web Site
 Local Server

Select Product: hsbUpdater

Select Version To Update: (build 1.4.62) [Development]

Local Path: C:\Program Files\ITW\ITWUpdater
 Local Version: 1.4.62

Select Update From: [(build 1.4.62) [Development] - modified 28/01/2016 22:05:33]


File name	Zip Type	Zip File Type	File date in Server	Last updating date in PC	Size [KB.]	Status
<input type="checkbox"/> Hsb_Updater.zip	Product	STANDARD	28 January 2016	29 January 2016	9,941	

Update

Upload to Local Server [Path:](#)

Help

You will get the 'Options' dialog box.



Permissions

- Fill in your **'Password'** as supplied with the authorization email. (Also see *Chapter 12*)
Updater Administrator – More information about **'Updater Administrator'** can be found in *'Chapter 15'*

Fingerprint Information - More information about the **'Fingerprint Information'** will be found in *'Chapter 14'*

Proxy

More information about the **'Proxy Settings'** will be found in *'Chapter 13'*

Module Filters

AutoCAD version - The setup program will detect which versions of AutoCAD are present on your machine; select the appropriate versions for hsbcad to be installed for.

Download list

Select '**Display all files**' (This will display all the missing files).

- By default the '*Display updated files only*' is selected, but customers can have problems because they have misplaced a file, so then not all files are turned on.

Installation Settings

Select '**Overwrite folders when zip files are installed**'

Delete folders before zip files are installed : In the case that the customer needs to delete folders which should not be common, he can configure a setting in the Option dialog to do that. In the case that he sets it, it would be recommendable that he updates all the content of hsbcad or the product that he selects. You could set it in the help file.

Product Info (Shown before Update)

Select '**Show always**' – It means that the web product information web page will be shown every time that you select a new Version to Updater before you click Update.


Select '**Show only when new info exists**' – It means that the web product information web page will be shown when you select a new Version to Updater only if there is new information in that web page that the customer has not seen yet.

Select '**OK**' (the options dialog box will disappear)

View Details button

When you select 'View Details' you will find the following information.

- License ID
- Fingerprint information
- User ID and password – if this reads 'not valid' select the '**Options**' button, and fill in your password.



The 'Details' dialog box can be closed by selecting the white cross in the upper right hand corner.


Update Product (hsb Web Site)

Hsb Web Site – For companies that have an internet connection, select this option and follow the next instructions.

Local Server – The idea of a Local Server is that 1 computer for a 32 bits and 1 computer for a 64 bits in your company has an Internet connection in order to download the newest Product versions and upload them to a Local Server Repositories for 32 and 64 bits which are Network shared folders with read permissions. This allows that other hsbcad users can update from these specific Local Server Repositories. They don't need an Internet connection to do this (See chapter 15)

Installing the **hsb Web Site** Version

In the 'Update product from' select '**hsb Web Site**'.




Update Button

- **Local Path:** Is the location of where the files are situated.
- **Version:** Is the version of hsbcad you have installed on your computer. (In this case it's.

In the **'Select Update from'** pull down menu select what you want to Update.

After a few seconds the **'Components that need to be updated'** list will show all the files that are needed to be updated, select the **'Update'** button and the Update will start.




NOTE: You can sort the files by **Name**, **Date** and **Size**.

hsbUpdater is installing

Once you have selected the **'Update'** button it will take a few minutes to install all files.

All files that have been downloaded will change color (green) and the status will change to 'Downloaded'.

All files that have been Installed will change color (bleu) and the status will change to 'Installed'




IMPORTANT: Remaining installment time can be seen below in the blue progress bar and an approximate time just underneath that.

If you want to manually manipulate the files installed on your computer you can check the square in front of the file name, once a file is checked you **can't** uncheck a file, accept for the help files, they can be unchecked.

hsbUpdater has completed


Once the *download* and *installment* has finished you will get the following dialog box.

Release Notes to say the Update was a success.



hsbUpdater has Updated your software.

By selecting the '**View Details**' button you can check the installation has been successfully installed, you can read this on the bottom of the dialog box'.




The 'Details' dialog box can be closed by selecting the white cross in the upper right hand corner.

- Select 'Close' to terminate the Update.
- Your hsbcad has successfully been Updated.


Wrong password (Options button)

If your password shows 'Wrong password' in the 'Details' dialog box, it might be because your password is not the right one or not filled in.




How to change your password

- Select the '**Options**' button.
- Fill in your '**Password**', supplied with the authorization email.
- Select the '**OK**' button in the '**Options**' dialog box to go back and Update your hsbcad.




Proxy Setting (Options button)


The proxy settings are used by customers that don't have an internet connection, but do have a local network that connects to the proxy server.



Schematic representation of a proxy server, where the computer in the middle acts as the proxy server between the other two.

- The '**Proxy Settings**' should be fill in by the **network manager**.
- Select '**Setting**' in the Options dialog box.
- Select the '**Enable Proxy**' and the rest of the fields will light up.
- **Proxy Host** – IP address or name of the server.
- **Proxy Port** – Network manager should know what to fill in.
- **Username** – fill in the username, this could be protected.
- **Password** – fill in the password, this could be protected.
- **Domain** – fill in the domain name.
- Before closing this dialog box, always do a Test of the settings by selecting '**Test Proxy Settings**'.






- The settings will then be saved in the registry, select **'OK'** to finish the proxy settings and **'OK'** again to finish the **'Options'**

When you select FingerPrint Information in the 'Options' dialog box you will find all the details about your fingerprint.

- License ID
- Modules you have
- Computer name
- AutoCAD version ect.




The idea of a Local Server is that 1 computer for a 32 bits and 1 computer for a 64 bits in your company has an Internet connection in order to download the newest Product versions and upload them to a Local Server Repositories for 32 and 64 bits which are Network shared folders with read permissions. This allows that other hsbcad users can update from these specific Local Server Repositories. They don't need an Internet connection to do this.

Installing the **Local Server** Version

- All the hsb files must be updated in the in the main computer for 32 or 64 bits.
- The person that downloads the updates must be assigned as '**Administrator**', to do that do the following.

How to set "Administrator"


- Select the '**Options**' button to enter the 'Options' dialog box.




- Enter your password (by default once you have entered your password this should remember it for the next time you open hsbUpdater)

- Check the '**Updater Administrator**', select '**OK**' to continue. (Options dialog box disappears)

- Select '**Upload to Local Server**', this button will give you the opportunity to upload all hsb files to the Local Server Repository (Shared network location) of 32 or 64 bits according the operating system platform of the main PC used to this effect.




1. Once you have selected the **'Upload to Local Server'** button another dialog box pops up.
2. Select the browse button  and locate the Local Server where you want to place the files, this location must be shared for all the people that need these files.



3. Select **'Upload'** to continue.

4. For each product you have permission to **Upload**, a dialog box will appear; if you want to **Upload** these products you must select the '**OK**' button.



Files are downloading

Files are being uploaded, this will take some time.

Now the files have been uploaded to a shared location, individual users that don't have an internet connection can upload these files from that specific location. (See *Chapter 18*)


When the Administrator has downloaded all the hsbcad files to a Local Server (Shared folder), you can download them from that location.

Start the hsbUpdater from your Desktop Icon.

NOTE: Screens 1 and 2 appear only if you have NO Internet Connection. You could use the Local Server with Internet Connection in order to avoid to download the files multiple times in multiple computers.




1. You will be prompted with a dialog box that asks you..... Select '**No**' to continue.




Screen1

2. You will be prompted with a dialog box that tells you your internet connection is not available. Select '**Yes**' to continue.



Screen2

- 'Local Server' is automatically detected.



- Select the browse button  and locate the folder (this folder should be a shared folder) where you saved the files to. (In this case it's 'C:\LocalServer')
- Select **Accept**.
- Select the product you want to update.
- After a few seconds the 'Components that need to be updated' list will show all the files that are needed to be updated, select the '**Update**' button and the Update will start.

Update products from: hsb Web Site
 Local Server Path: C:\LocalServer

Select Product: ITWhsbCAD2012

Select Version To Update: (build 17.0.40) [Development] Load an additional Vers

Local Path: C:\Program Files\hsbSOFT\ITWhsbCAD2012
 Local Version: 17.0.40

Select Update From: (build 17.0.40) [Development] - modified 24/02/2011

File name	File date in Server	Last updating date i...	Size [KB.]	Status
<input checked="" type="checkbox"/> Hsb_Abbund.zip	donderdag 24 febru...	dinsdag 22 februari ...	12.042	
<input checked="" type="checkbox"/> Hsb_Arx2010x6...	donderdag 24 febru...	donderdag 24 febru...	5.826	
<input checked="" type="checkbox"/> Hsb_Arx2011x6...	donderdag 24 febru...	donderdag 24 febru...	5.837	
<input checked="" type="checkbox"/> Hsb_cnc.zip	donderdag 24 febru...	vrijdag 10 december...	245	
<input checked="" type="checkbox"/> Hsb_Dak.zip	donderdag 24 febru...	vrijdag 10 december...	625	
<input checked="" type="checkbox"/> Hsb_Dbx2010x6...	donderdag 24 febru...	donderdag 24 febru...	8.396	
<input checked="" type="checkbox"/> Hsb_Dbx2011x6...	donderdag 24 febru...	donderdag 24 febru...	8.396	
<input checked="" type="checkbox"/> Hsb_Dsp.zip	donderdag 24 febru...	vrijdag 10 december...	226	
<input checked="" type="checkbox"/> Hsb_Excel.zip	donderdag 24 febru...	vrijdag 10 december...	2.411	
<input checked="" type="checkbox"/> Hsb_Export.zip	donderdag 24 febru...	donderdag 24 febru...	414	
<input checked="" type="checkbox"/> Hsb_Help.zip	donderdag 24 febru...	donderdag 6 januari ...	116.736	
<input checked="" type="checkbox"/> Hsb_HsbDbase.zip	donderdag 24 febru...	vrijdag 10 december...	1.506	
<input checked="" type="checkbox"/> Hsb_hsbSdk.zip	donderdag 24 febru...	vrijdag 10 december...	4.557	

Update Abort Restore Previous Vers

Upload to Local Server Path: C:\LocalServer


View Details... Close

Help Options


NOTE: When you look in your 'Explore' you will find files that have been downloaded. In each of the hsbcad files you will find a *.txt file, this text file shows you the version of hsbcad.




- The **downloading** of the files have started this can be seen by the blue progress bar at the bottom of the dialog box, files change color 'green'.



9. Files are then installed, files change color 'blue'



- Once everything is installed the dialog box is empty and the release notes will pop up, select **OK** and then '**Close**' to end the Update.



Your hsbcad has successfully been Updated.